

# HOUSINGS DP BIG

### FOR CARTRIDGES SX

### Housings DP BIG fit to 4.25" and 4.50" SX (DOE) cartridges.

A range of Atlas Filtri BIG filter cartridges standard (see pag 187 FA BIG, pag 226 CB-EC BIG) and with anti-microbial protection (see pag 211 FA BIG SANIC) is suitable to DP BIG housing and provides a wide range of heavy-duty water filtration solutions.

Housings DP S BIG with discharge valve are provided with a drain funnel to protect potable water from pollution by back-flow, in compliance with UNI EN 1717-11/2002.



SX cartridges with standard flat seals.

### ACCESSORIES ON DEMAND



-DP BIG- spanner CODE RB7403018



-DP BIG- wall bracket CODE RB7401032



1" brass nipples with o-ring (pair) CODE RB7404002



-KIT AUTO- for S models CODE RE7120024 automatic discharge kit (see pages 160-161)

### ACCESSORIES INCLUDED

### **DISCHARGE KIT FOR -S- MODEL**



brass discharge ball-valve with gasket



drain funnel

In compliance with the European Standard UNI EN 1717/2002: designed to prevent back-flow contamination by making all elements downstream the discharge vent to atmosphere (protection unit symbol: DC)



-LUBRIKIT- single-dose lubricant for housing o-ring CODE RE9020650



The products are tested and certified under the most stringent procedures worldwide, in compliance with DM 25 (Italy) and EAC (Russia).






For domestic use



For technical and industrial use


### HOUSINGS RANGE



tapered (conical) ANSI/ASME B1.20.1

parallel (cylindrical) ISO 228





WORKING CONDITIONS	
DP BIG 10 max working pressure	8 bar (116 psi)
DP BIG 20 max working pressure	7 bar (101 psi)
Max working temperature	45°C (113°F)
Min working temperature	4°C (39,2°F)

### SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
Head: reinforced polypropylene.
Clear bowl: SAN.
Blue bowl: reinforced polypropylene.
O-ring: EPDM.

Breather-valve: body polypropylene, o-ring EPDM.





HOUSINGS WITH PLASTIC BSP THREADS							
CODE	MODEL	SUITABLE	IN/OUT	THREADS	DIMENSIONS mm		
		CARTRIDGE			Α	В	С
RA1700711	DP BIG 10 - 1" IN AS	10"	1"	PLASTIC-BSP	360	190	185
RA1700911	DP BIG 10 - 1"1/2 IN AS	10"	1"1/2	PLASTIC-BSP	360	190	185
RA1800711	DP BIG 20 - 1" IN AS	20"	1"	PLASTIC-BSP	617	190	185
RA1800911	DP BIG 20 - 1"1/2 IN AS	20"	1"1/2	PLASTIC-BSP	617	190	185

НО	USINGS W	ITH PLASTIC NPT THREADS						
	CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	THREADS	D <b>i</b> M A	ENSIONS B	mm C
RA	41700721	DP BIG 10 - 1" NPT IN AS	10"	1"	PLASTIC-NPT	360	190	185
R/	41700921	DP BIG 10 - 1"1/2 NPT IN AS	10"	1"1/2	PLASTIC-NPT	360	190	185
R/	41800721	DP BIG 20 - 1" NPT IN AS	20"	1"	PLASTIC-NPT	617	190	185
R/	41800921	DP BIG 20 - 1"1/2 NPT IN AS	20"	1"1/2	PLASTIC-NPT	617	190	185

## DP BIG blue housings



HOUSINGS W	ITH PLASTIC BSP THREADS						
CODE	MODEL	SUITABLE	IN/OUT	THREADS	DIMENSIONS mm		
		CARTRIDGE			Α	В	С
RA1700712	DP BIG 10 - 1" IN AB	10"	1"	PLASTIC-BSP	360	190	185
RA1700912	DP BIG 10 - 1"1/2 IN AB	10"	1"1/2	PLASTIC-BSP	360	190	185
RA1800712	DP BIG 20 - 1" IN AB	20"	1"	PLASTIC-BSP	617	190	185
RA1800912	DP BIG 20 - 1"1/2 IN AB	20"	1"1/2	PLASTIC-BSP	617	190	185

HOUSINGS W	ITH PLASTIC NPT THREADS						
CODE	MODEL	SUITABLE CARTRIDGE	IN/OUT	THREADS	D <b>i</b> M A	ENSIONS B	mm C
RA1700722	DP BIG 10 - 1" NPT IN AB	10"	1"	PLASTIC-NPT	360	190	185
RA1700922	DP BIG 10 - 1"1/2 NPT IN AB	10"	1"1/2	PLASTIC-NPT	360	190	185
RA1800722	DP BIG 20 - 1" NPT IN AB	20"	1"	PLASTIC-NPT	617	190	185
RA1800922	DP BIG 20 - 1"1/2 NPT IN AB	20"	1"1/2	PLASTIC-NPT	617	190	185