

Energy Storage Solutions
Republic of Ireland

Protected By



Product Catalogue

Your complete guide to Fuel
Storage Solutions



Domestic



Commercial



Agriculture



Compliance

www.kingspan.com/irl



EcoSafe®

Bunded Oil Storage Tanks

The Complete Integrally Bunded Oil Storage System - Capacities from 650-9000 Litres



CODE: ES650

Capacity 650 Ltrs/
172 Gals
Length 1300 mm
Width 630 mm
Height 1350 mm



CODE: ESSL1000

Capacity 1000 Ltrs/
220 Gals
Length 1920 mm
Width 600 mm
Height 1580 mm



CODE: ES1000

Capacity 1000 Ltrs/
220 Gals
Length 2150 mm
Width 690 mm
Height 1480 mm



CODE: ESSL1400

Capacity 1400 Ltrs/
307 Gals
Length 2200 mm
Width 650 mm
Height 1650 mm



CODE: ES1200

Capacity 1200 Ltrs/
260 Gals
Length 1940 mm
Width 1540 mm
Height 1060 mm



CODE: ES1225

Capacity 1225 Ltrs/
270 Gals
Length 2050 mm
Width 900 mm
Height 1515 mm



CODE: ES1300

Capacity 1300 Ltrs/
285 Gals
Length 1920 mm
Width 1230 mm
Height 1300 mm



CODE: ESV1300

Capacity 1300 Ltrs/
285 Gals
Diameter 1550 mm
Height 1485 mm



CODE: ES3500

Capacity 3500 Ltrs/
775 Gals
Diameter 2140 mm
Height 1945 mm



CODE: ESSL4000

Capacity 4000 Ltrs/
880 Gals
Length 3170 mm
Width 1150 mm
Height 2340 mm
(Top outlet only)



CODE: ES1800

Capacity 1800 Ltrs/
400 Gals
Length 2370 mm
Width 1300 mm
Height 1355 mm



CODE: ESSL2000

Capacity 2000 Ltrs/
440 Gals
Length 2500 mm
Width 800 mm
Height 1650 mm



CODE: ES2500

Capacity 2500 Ltrs/
550 Gals
Length 2450 mm
Width 1425 mm
Height 1450 mm



CODE: ESV2500

Capacity 2500 Ltrs/
550 Gals
Diameter 2000 mm
Height 1490 mm




CODE: ES5000

Capacity 5000 Ltrs/
1100 Gals
Diameter 2250 mm
Height 2400 mm



CODE: ES9000

Capacity 9000 Ltrs/
1980 Gals
Diameter 2450 mm
Height 2950 mm



Features

- › Low maintenance - no rust and no painting
- › SpillStop overfill prevention device shuts off the point once fuel reaches 95% of the tank volume
- › The double skin construction ensures environmental protection and safeguards against leaks and ground contamination
- › Increased security due to lockable lid protecting your fuel
- › Remote oil level monitor reduces the possibility of running out of oil (sudden drop alarm and low level alert)
- › Bottom outlet, unique gate valve and filter supplied as standard



Watchman Alarm Tank Pack for Ecosafe range

All Ecosafe tanks come complete with a WatchmanAlarm tank pack. Greatly reduces installation time.

Tank Pack consists of:

01. WatchmanAlarm Transmitter
02. WatchmanAlarm Receiver
03. PTFE Tape
04. Heldite
05. Heldite Applicator
06. Gate Valve and Filter



Suitable for the storage of kerosene (C1/C2), fuel oil (A2), and gas oil/diesel (D), as defined in BSEN2869 and BSEN590, including up to 7% biofuel to BSEN14214.

*The CE mark applies to the primary storage tank only and does not extend to the outer bund.

**One year guarantee on parts.

Single Skin Oil Tanks

Specifically designed to suit Domestic Applications - Capacities from 1000-2500 Litres



CODE: R900

Capacity 900 Ltrs/
200 Gals
Length 1505 mm
Width 695 mm
Height 1200 mm



CODE: H1100

Capacity 1100 Ltrs/
242 Gals
Length 1945 mm
Width 950 mm
Height 1065 mm



CODE: R1200

Capacity 1200 Ltrs/
264 Gals
Length 1810 mm
Width 700 mm
Height 1220 mm



CODE: H1360

Capacity 1360 Ltrs/
300 Gals
Length 1950 mm
Width 1080 mm
Height 1080 mm



CODE: R1000

Capacity 1000 Ltrs/
220 Gals
Length 1880 mm
Width 590 mm
Height 1335 mm



CODE: LP1200

Capacity 1200 Ltrs/
260 Gals
Length 2000 mm
Width 1145 mm
Height 900 mm



CODE: V1300

Capacity 1300 Ltrs/
285 Gals
Diameter 1200 mm
Height 1395 mm



CODE: H1800

Capacity 1800 Ltrs/
400 Gals
Length 2170 mm
Width 1100 mm
Height 1170 mm



CODE: H2500

Capacity 2500 Ltrs/
550 Gals
Length 2235 mm
Width 1250 mm
Height 1310 mm



CODE: V2500

Capacity 2500 Ltrs/
550 Gals
Diameter 1650 mm
Height 1460 mm



CODE: V3500

Capacity 3500 Ltrs/
775 Gals
Diameter 1900 mm
Height 1830 mm



CODE: V5000

Capacity 5000 Ltrs/
1100 Gals
Diameter 2000 mm
Height 2235 mm



CODE: V10000

Capacity 10000 Ltrs/
2200 Gals
Diameter 2630 mm
Height 2500 mm

Optional Extra: Watchman Tank Pack



Watchman tank pack available on request. Greatly reduces installation time.

Tank Pack consists of:

1. Watchman Sonic Transmitter
2. Watchman Sonic Receiver
3. PTFE Tape
4. Heldite
5. Heldite Applicator
6. Gate Valve and Filter

Features:

- > Low maintenance no rust and no painting
- > Available with Watchman Alarm on request
- > Top Outlet and Bottom Outlet Option

Suitable for the storage of kerosene (C1/C2), fuel oil (A2), and gas oil/diesel (D), as defined in BSEN2869 and BSEN590, including up to 7% biofuel to BSEN14214.

*One year guarantee on equipment.



FuelMaster®

Diesel Storage & Dispensing Solutions

Secure Fuel Storage and Dispensing Systems - Capacities from 1225-9000 litres



MODEL: 1225 Ltrs

Capacity 1225 Ltrs/
270 Gals
Length 2050 mm
Width 900 mm
Height 1970 mm



MODEL: 1300 Ltrs

Capacity 1300 Ltrs/
285 Gals
Length 1920 mm
Width 1230 mm
Height 1785mm



MODEL: 2500 Ltrs

Capacity 2500 Ltrs/
550 Gals
Length 2460 mm
Width 1460 mm
Height 1860 mm



MODEL: 3500 Ltrs

Capacity 3500 Ltrs/
755 Gals
Length 2850 mm
Width 2200 mm
Height 1960 mm



MODEL: 5000 Ltrs

Capacity 5000 Ltrs/
1100 Gals
Length 2850 mm
Width 2250 mm
Height 2350 mm



MODEL: 9000 Ltrs

Capacity 9000 Ltrs/
1980 Gals
Length 3280 mm
Width 2450 mm
Height 2950 mm

Standard Equipment:

- > PIUSI Panther 56 Pump
- > 4m 3/4" Delivery Hose
- > PIUSI A60 automatic nozzle
- > Mechanical Clock Gauge for Level Display
- > Filter with Blanking Cap (10µm Metal Filter)
- > Filling through 2" BSP Coupling
- > Spillstop mechanical overflow protection

Management and Monitoring Systems

- > The FuelMaster range offers two monitoring options - the **Watchman Sonic Plus** and **UniWatchmanRX** allowing you to continually monitor your diesel levels ensuring you never run out.
- > There are two unique integrated management solutions - the **MC Box** and the Titan **Access Management System**. Both options offer control over dispensed and stored diesel from the moment of delivery to the time of use (including additional information on individual user consumption, leak detection, level display and much more)

* One year guarantee on parts

BlueMaster®

AdBlue Storage & Dispensing Solutions

Robust AdBlue Storage and Dispensing Systems - Capacities from 2500-9000 Litres



MODEL: 2500 Ltrs
Capacity 2500 Ltrs / 550 Gals
Length 2460 mm
Width 1460 mm
Height 1860 mm



MODEL: 3500 Ltrs
Capacity 3500 Ltrs / 755 Gals
Length 2800 mm
Width 2180 mm
Height 1945 mm



MODEL: 4000 Ltrs
Capacity 4000 Ltrs / 880 Gals
Length 3900 mm
Width 1150 mm
Height 2340 mm



MODEL: 5000 Ltrs
Capacity 5000 Ltrs / 1100 Gals
Length 2850 mm
Width 2250 mm
Height 2350 mm



MODEL: 9000 Ltrs
Capacity 9000 Ltrs / 1980 Gals
Length 3280 mm
Width 2450 mm
Height 2950 mm



Features:

- > Double skinned tank
- > TMS Standard
- > 2" SS dry coupling filling connection
- > Submersible pump
- > Nozzle holder with automatic pump on/off switch
- > 6m EPDM Hose (4m for 2500 liter tank)
- > PIUSI automatic nozzle
- > Housing (Large on 5000L)
- > Light in housing

BlueMaster® STANDARD With Tank Monitoring System

KINGSPAN SENSOR TANK MONITORING SYSTEM (TMS)

The Tank Monitoring System when fitted to the BlueMaster Standard tank offers the following key features:

- > Power supply for system devices
- > LCD display
- > Pump on/off control via nozzle holder switch
- > Control of heating and ventilation
- > Leak detection alarm
- > Overfill alarm
- > Flow measurement via external flowmeter
- > Contents measurement via pressure sensor
- > Nozzle position indication
- > Housing light control
- > 4-20 mA output
- > 100 impulse/litre output



*One year parts guarantee

TruckMaster®

Portable Diesel Storage & Dispensing Solutions

Safe Portable Fuel Storage and Dispensing Solutions - Capacities from 200-900 Litres



TM 200
Capacity 200 Ltrs
Length 600 mm
Width 800 mm
Height 620 mm



TM 300
Capacity 300 Ltrs
Length 600 mm
Width 800 mm
Height 890 mm



TM 430
Capacity 430 Ltrs
Length 1180 mm
Width 860 mm
Height 910 mm



TM 900
Capacity 900 Ltrs
Length 1410 mm
Width 1050 mm
Height 1210 mm



TruckMaster® 300 L



TruckMaster® 430 L

Equipment Specification

1. Tank
2. Pump
3. Automatic nozzle
4. Vent
5. Delivery hose
6. Lockable lid***
7. Shackles**
8. 4" Inspection lid**
9. Filling offset**

*** Lid with integrated lock (TM200, TM430 and TM900)
TM200 & TM300 can be locked with the padlock (padlock not provided)

** Only available on certain models

* One year on equipment

Cold Water Storage Solutions

The most Comprehensive and Robust range of Cold Water Cistern Tanks - Capacities from 18-488 Litres



Rectangular Tanks



WM10

Capacity	18 L/ 4 Gals
Length	442 mm
Width	296 mm
Height	305 mm
Rigid Lid Ref	W10L
Drip Tray Ref	N/A
Insul. Jacket 40mm	TAJS



W30/20 CODE: AA01

Capacity	90 L/ 20 Gals
Length	800 mm
Width	480 mm
Height	470 mm
Rigid Lid Ref	AC01
Drip Tray Ref	AD32
Insul. Jacket 40mm	TAJ3



WM60 CODE: AA05

Capacity	143 L/ 32 Gals
Length	865 mm
Width	593 mm
Height	600 mm
Rigid Lid Ref	AC05
Drip Tray Ref	AD32
Insul. Jacket 40mm	TAJ7



W50 CODE: AA04

Capacity	197 L/ 43 Gals
Length	1125 mm
Width	585 mm
Height	540 mm
Rigid Lid Ref	AC04
Drip Tray Ref	AD31
Insul. Jacket 40mm	TAJ1



W150/100 CODE: AA09

Capacity	488 L/ 107 Gals
Length	1460 mm
Width	800 mm
Height	665 mm
Rigid Lid Ref	AC09
Drip Tray Ref	AD34
Insul. Jacket 40mm	TAJ10

Slim Tanks



SLIM45/30 CODE: AA03

Capacity	123 L/ 27 Gals
Length	1165 mm
Width	465 mm
Height	450 mm
Rigid Lid Ref	AC03
Drip Tray Ref	AD30
Insul. Jacket 40mm	TAJ4



SLIM60 CODE: AA06

Capacity	150 L/ 33 Gals
Length	1336 mm
Width	470 mm
Height	455 mm
Rigid Lid Ref	AC06
Drip Tray Ref	AD30
Insul. Jacket 40mm	TAJ4



SLIM80/60 CODE: AA08

Capacity	236 L/ 52 Gals
Length	1555 mm
Width	500 mm
Height	570 mm
Rigid Lid Ref	AC08
Drip Tray Ref	AD33
Insul. Jacket 40mm	TAJ4



SLIM100/70 CODE: AA12

Capacity	290 L/ 64 Gals
Length	1815 mm
Width	557 mm
Height	557 mm
Rigid Lid Ref	AC12
Drip Tray Ref	AD33
Insul. Jacket 40mm	TAJ10

Closed Tanks



CS60 CODE: AA22

Capacity	150 L/ 30 Gals
Length	1060 mm
Width	465 mm
Height	455 mm
Access Area	220Lx365W
Drip Tray Ref	AD31
Insul. Jacket 40mm	TAJ1



AT70 CODE: AA14

Capacity	222 L/ 49 Gals
Length	1570 mm
Width	465 mm
Height	486 mm
Access Area	220Lx365W
Drip Tray Ref	AD33
Insul. Jacket 40mm	TAJ4



LT100 CODE: AA50

Capacity	455 L/ 100 Gals
Length	1790 mm
Width	644 mm
Height	590 mm
Drip Tray Ref	AD121
Insul. Jacket	TAJ10

Closet Tanks



CLOSET CODE: AA07

Capacity	260 L/ 57 Gals
Length	555 mm
Width	555 mm
Height	1085 mm
Rigid Lid Ref	AC07
Drip Tray Ref	AC07
Insul. Jacket 40mm	TAJ6



CLOSET CODE: AA25

Capacity	330 L/ 73 Gals
Length	550 mm
Width	550 mm
Height	1400 mm
Rigid Lid Ref	AC07
Drip Tray Ref	AC07
Insul. Jacket 40mm	TAJ6

Recommended Extras

We supply lids, drip trays and insulation jackets for all the cold water cistern tanks.



Lid



Drip Tray



Insulated Jacket

All products within this range have been designed with built-in strengthening ribs making them virtually indestructible.



Waste Oil Tanks

Waste Oil needs to be stored in a safe and secure oil tank container. The Kingspan Waste Oil Tanks are designed to ensure that industrial and commercial properties comply with the Control of Pollution (Oil Storage) Regulations and site Health and Safety regulations.



CODE: BOW200

Capacity	200 Ltrs/ 44 Gals
Length	760 mm
Width	760 mm
Height	1255 mm



CODE: BOW600

Capacity	600 Ltrs/ 130 Gals
Length	1440 mm
Width	860 mm
Height	1350 mm



CODE: BOW650

Capacity	650 Ltrs/ 143 Gals
Diameter	1050 mm
Height	1500 mm

Features

- > Moulded from high quality, impact and UV resistant polyethylene.
- > Bundman leak detection system fitted as standard.
- > WatchmanSonic oil level monitor - Optional Extra.



CODE: BOW1300

Capacity	1300 Ltrs/ 285 Gals
Length	1835 mm
Width	1265 mm
Height	1310 mm



CODE: BOW2500

Capacity	2500 Ltrs/ 550 Gals
Length	2450 mm
Width	1425 mm
Height	1465 mm

Coal Bunkers

Designed for the storage of coal, slack, wood and peat briquettes.



CODE: B150KG

Capacity	150 Kg
Length	850 mm
Width	600 mm
Height	770 mm



CODE: B300KG

Capacity	300 Kg
Length	950 mm
Width	880 mm
Height	970 mm



CODE: B600KG

Capacity	600 Kg
Length	1190 mm
Width	970 mm
Height	1140 mm

Features

- > Manufactured from medium density UV resistant polyethylene.
- > Suitable for outdoor or indoor use.
- > Strong and robust.
- > High impact strength.
- > Cannot rust or rot.
- > Top and bottom opening for easy access.



Maxi Bunker



CODE: FCBU

Capacity	30x25 kg Bags
Length	1920 mm
Width	1060 mm
Height	1000 mm

These bunkers were primarily designed to provide an attractive and secure display for a forecourt, but have evolved into a multi-functional storage container.

Features

- > Moulded in impact and UV resistant MDPE to give an exceptionally strong, long life construction.
- > Rust, rot and weather resistant.
- > Fully retractable roof for exposing products.
- > Wide choice of colours.
- > Requires no assembly and is easy to access for filling and emptying.
- > Each MAXI bunker is supplied with a padlock.
- > Suitable for forecourt location - storing pre-packed products such as wood, coal, charcoal or pet food.
- > Can also be used as a bund for storage of chemicals.

Maxi Store



CODE: MAXISTORE BK

Length	1140 mm
Width	540 mm
Height	670 mm

A compact container, suitable for a variety of storage needs, anything from domestic and agricultural to commercial whether indoor or outdoor.

Features

- > Lid is lockable ensuring contents are securely stored (lock not included).
- > Moulded in impact and UV resistant MDPE to give an exceptionally strong, long life construction.
- > Rot, rust and weather resistant.
- > Available in black as standard. Other colours are available on request.
- > Black polyethylene divider included for separating contents.
- > Suitable for secure holding of paint etc, pet food, toys, bags of wood or small garden equipment.

Chemical Store



CODE: CHEMICAL STORE AD96

Length	1140 mm
Width	540 mm
Height	670 mm

The large banded store is ideal for the storage of dry chemicals (powders) and features fully lockable lid, removable powder store and a galvanised floor.

Logstore



CODE: LOGSTORE AD62BK

Length	1280 mm
Width	780 mm
Height	950 mm

Cattle Drinkers

The Kingspan range of tough cattle drinkers represents the best products of their kind available in the market. Simple and economical, these cattle drinkers come in a wide variety of sizes.



12GAL DRINKER
CODE: AD01

Capacity	54 Ltrs 12 Gals
Length	680 mm
Width	440 mm
Height	353 mm
Sludge Outlet	N/A



30GAL DRINKER
CODE: AD02

Capacity	136 Ltrs 30 Gals
Length	1200 mm
Width	485 mm
Height	377 mm
Sludge Outlet	N/A



40GAL DRINKER
CODE: AD27

Capacity	182 Ltrs 40 Gals
Length	1280 mm
Width	475 mm
Height	450 mm
Sludge Outlet	N/A



90GAL DRINKER
CODE: AD03

Capacity	409 Ltrs 90 Gals
Length	1400 mm
Width	610 mm
Height	620 mm
Sludge Outlet	N/A



MEAL BIN
CODE: AD83

Capacity	1000 Ltrs 220 Gals
Length	1375 mm
Width	1200 mm
Height	920 mm
Sludge Outlet	N/A



SHEEP DIP TUB

Capacity	1136 Ltrs 250 Gals
Length	2735 mm
Width	950 mm
Height	1225 mm



Fast Fill Drinkers

Our range of Fast Fill Drinkers is fitted with the new Fast Fill ball valve which delivers much quicker flow rates than your standard ball valve.

Features

- › Rotationally moulded from top quality medium density polyethylene.
- › Ultraviolet stabilised for protection against sunlight.
- › Extremely durable.
- › Excellent impact strength, lightweight and easily transported.



120GAL DRINKER
CODE: AD92

Capacity	545 Ltrs 120 Gals
Length	2200 mm
Width	800 mm
Height	560 mm
Sludge Outlet	1 1/2" (x 2)



170GAL DRINKER
CODE: AD93

Capacity	770 Ltrs 170 Gals
Diameter	1575 mm
Height	660 mm
Sludge Outlet	1 1/2"



250GAL DRINKER
CODE: AD094

Capacity	1136 Ltrs 250 Gals
Diameter	1720 mm
Height	860 mm
Sludge Outlet	1 1/2"



400GAL DRINKER
CODE: AD95

Capacity	1800 Ltrs 400 Gals
Diameter	2060 mm
Height	810 mm
Sludge Outlet	1 1/2"

Potable Water Tanks

Capacities from 900-10,000 Litres

Specifically designed to store water for emergency human consumption or animal drinking, the Kingspan potable water tanks are fully recyclable and meet Water Regulatory requirements. They must be installed on a firm, solid flat base and be fully supported.



CODE: V1300WP

Capacity 1300 Ltrs/
285 Gals
Outlet 2" BSP Male
Diameter 1210 mm
Height 1415 mm



CODE: V2500WP

Capacity 2500 Ltrs/
550 Gals
Outlet 2" BSP Male
Diameter 1635 mm
Height 1450 mm



CODE: V3600WP

Capacity 3600 Ltrs/
800 Gals
Outlet 2" BSP Male
Diameter 1885 mm
Height 1855 mm



CODE: V5000WP

Capacity 5000 Ltrs/
1100 Gals
Outlet 2" BSP Male
Diameter 2035 mm
Height 2265 mm



CODE: V10000WP

Capacity 10000 Ltrs/
2200 Gals
Outlet 2" BSP Male
Diameter 2630 mm
Height 2500 mm



CODE: R900WP

Capacity 900 Ltrs/
200 Gals
Outlet 1" BSP Male
Height 1180 mm



CODE: R1200WP

Capacity 1200 Ltrs/
264 Gals
Outlet 1" BSP Male
Height 1220 mm



Your Diesel Storage Partner

Strength That Keeps Your Business Moving

DieselPRO

Steel Diesel Storage and Dispensing Solution

Capacities from 1,000-150,000 litres



*10 year tank guarantee for Vertical tanks. 1 year parts guarantee (3 months on hoses and nozzles)

Energy Storage Solutions

Kingspan Environmental Ireland Ltd
Dundalk Road
Carrickmacross
Co. Monaghan
T: 042 969 0022
F: 042 969 0030
E: irelandsales@kingspan.com
www.kingspan.com

We warrant and declare that the information contained herein is current at the time of publication.
Due to continuous improvement of products the information herein is subject to change without notice.
Product dimensions vary by +/- 1%.
Kingspan Titan - Fuel, Water & Agricultural Storage Products - Rep. of Ireland version - July 2017.

