



O Fuel

Noise

Emissions

Maintenance





Enhanced Design Features

Power -

The Falcon Solar Light 202 harnesses the suns power through 3 extendable high grade solar panels that ensure maximum lighting performance and brightness.

Security

The Falcon Solar lighting tower comes complete with galvanized retractable stabilizers for added security when in operation.

Design Quality —

The Falcon Solar Light 202 has been manufactured with high grade steel and is powder coat painted to the highest standards and c/w certified high quality electrical components.

Easy Set Up —

The Falcon Solar lighting tower comes complete with a manual winch operated mast allowing easy setup time.

Our Mission

We design products that harvest clean energy, minimising the impact on the environment.

In line with the UK & European government commitments of realizing zero net carbon by 2050, we are focused on reducing carbon emissions throughout our business and supply chains by bringing the most innovative and advance products to market in line with progress to a circular economy.



Features


The Falcon Solar Light 202 is a compact and powerful Transportable solar lighting tower. The FSL-202 features 4 LED lamps which provides a brighter and more environmentally-friendly lighting system.

The innovative solar panel and trailer design make the FSL-202 easy to transport, set up&maneuver in limited spaces.





Superior Features



Manually extendable & adjustable Solar PV panels designed to maximise the suns rays during day light hours.



4 x 100W tiltable LED lighting system with 8.5m manually extendable most with 360° rotation head providing maximum lighting coverage.



Intelligently designed electrical control panel display providing multiple user optimisation options.

SECTORS



CONSTRUCTION



SPECIAL EVENTS



OIL, GAS & MINING



HARD TO REACH **AREAS**



MILITARY



Model - FSL-202



Brand	Falcon Palcon	
Name	Solar Light Tower	
Model	FSL-202	
Material	Steel Q235	
Powder	Outdoor Type	
Transport Dimension (LxWxH)	2200 x 1600 x 2200 (mm)	
Operate Dimension (LxWxH)	3200 x 3400 x 9000 (mm)	
Weight	1300kg	
System Voltage	DC48V	
olar System		
Solar Panel	3 x 435W Monocrystalline Silicon 108pcs	
Voltage	DC39V (II)	
Charging Time	6.6 hours	



Lit	aht	Syst	tem

LED flood light 4 x 100W outdoor waterproof 60000lm

Protection Class IP65

Efficiency 150Lm/W

Voltage DC48V

Running Time 20.5 hours

Mast System

Body Steel 0235 Galvanized

Fastener Stainless steel 304

Wire Rope Stainless steel 316 8mm

Type Square Telescopic

Height 8.5m

Section 5

Rotation 360° automatic (optional)

Tilt 90° automatic (optional)

Spring Cable Power Supply

Lifting Method Falson Electric lifting

Recommended Loading 5kg ~ 70kg


Windproop 117kph


Charger System


Rated Power 2.5kW / 2.5kVA


Frequency 50Hz / 60Hz

Plug & Socket 1 x AC 110V/220V Input










Transport Dimensions

Length (L) (mm)	2200	Weight (Kg)	1300kg
Width (W) (mm)	1600	Loading capacity in 40 HQ (units)	07
Height (H) (mm)	2200		



Harvesting Clean Energy / Protecting Our Environment



Battery System		
Lithium-ion battery (LFP)	2 x 200Ah BMS	
Voltage	DC25.6V	
Power Capacity Control System	10240Wh	
Solar Controller	Victron MPPT 35A	
Efficiency	95%+	
Detection & Protection	Short-Circuit, Overload, High Voltage, High Temperature	
Timer	Manual	
Whole Machine	Battery Isolator, Light on-off	
Trailer System		
Standard	US / AU / EU	
Tow Hitch	50mm / 2" Ball Type	
Trailer Light	7 Pin	
Jockey Wheel	200mm / 8"	
Axle	Single Suspension Bump Brake	
Tire Falcon	2 x 15 inch	
Wheel Chock	2 Falcon	
Forklift Hole	2	
Outrigger	4 x Manual Galvanized	
Warranty	3 years	